# Gonorrhea

"drip" or "clap"

Gonorrhea is a very common sexually transmitted disease (STD). It is caused by germs passed from one person to another during sexual activity, including vaginal, anal, and oral sex. It can also be passed from mother to baby during birth. A person who is infected should be treated immediately. If gonorrhea is not treated, it can cause a type of arthritis or infertility later in life.

## Signs and symptoms

Most women with gonorrhea have no symptoms at all. A woman may have a vaginal discharge or a slight burning feeling when urinating. Often this is not noticed because it is so mild. A woman can still infect her partners even if she has no symptoms.

Untreated gonorrhea can cause pelvic inflammatory disease (PID) in women. The germs go deep into the body, causing serious damage to the reproductive system.

In men, the symptoms usually appear 2–8 days after sex. They often have painful urination and pus dripping from the end of the penis. A burning sensation may also be felt. Even if he has no symptoms, a man can still infect his partners.

If a person gets gonorrhea through oral sex, the germs may cause a dry, sore, scratchy throat. Discharge from the rectum and itching are symptoms of anal gonorrhea.

# **Testing**

Many clinics use a urine test or they may test samples of discharge. Because there are different types of gonorrhea, the sample will be tested to find out which medicine is best. People should be tested for chlamydia at the same time, because about half of all people who have gonorrhea also have chlamydia.

#### **Treatment**

Your doctor will give you a prescription for antibiotics. They may be in the form of shots or pills. Take all your medicine, even after you start to feel better. It is important to tell your doctor if you are pregnant because he or she might give you a different medicine. All your sex partners must be treated or you will get gonorrhea again.

To prevent blindness in babies, drops are put in the baby's eyes right after birth.

#### **Prevention**

- Know your sex partners—go with them for STD tests.
- Use condoms correctly every time you have sex.
- Have fewer sex partners. The more partners you have, the greater your chances of getting gonorrhea.
- Birth control pills do not prevent infection.

### Learn more about gonorrhea

If you have questions or need more information, contact your doctor, local health department, or community clinic, or call the National STD Hotline at 1-800-227-8922.

For persons with disabilities this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TTY/TDD 1-800-833-6388).





## Dear Colleague,

The Washington State Department of Health (DOH) is pleased to provide cameraready art for printing this educational material. To ensure that the original quality of the piece is maintained, please read and follow the instructions below and the specifications included for professional printing.

- Use the latest version. DOH materials are developed using the most current information available, are checked for clinical accuracy, and are field tested with the intended audience to ensure they are clear and readable. DOH programs make periodic revisions to educational materials, so please check this web site to be sure you have the latest version. DOH assumes no responsibility for the use of this material or for any errors or omissions.
- **Do not alter**. We are providing this artwork with the understanding that it will be printed without alterations and copies will be free to the public. Do not edit the text or use illustrations or photographs for other purposes without first contacting us. Please do not alter or remove the DOH logo, publication number or revision date. If you want to use a part of this publication for other purposes, contact the Office of Health Promotion first.
- For quality reproduction: Low resolution PDF files are intended for black and white or color desktop printers. They work best if you are making only one or two copies. High resolution PDF files are intended for reproducing large quantities and are set up for use by professional offset print shops. The high resolution files also include detailed printing specifications. Please match them as closely as possible and insist on the best possible quality for all reproductions.

If you have questions, contact:
Office of Health Promotion
P.O. Box 47833 Olympia, WA 98504-7833
(360) 236-3736

Sincerely, Health Education Resource Exchange Web Team